

57A705

Transportation - General

about a month ago

C041448-043019

Per RCW42.56, please provide the Public Records related to all the applications and street permitting of the collected single-entity functionally related development proposed at these adjacent addresses: • 3420, 3422 and 3424 23rd Ave West, and • 3414, 3416 and 3618 23rd Ave West, and • 3410 and 3412 23rd Ave West. The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission.] Please include digitally prepared /scanned documents including arborist reports, tree conditions and records, correspondence and photographs specific to these addresses. (312)-965-0634

Status : Closed/No Exemptions

David Moehring

View Invoices

View Files

Details

Fire Marshal's Office - General

about a month ago

C041447-043019

Per RCW42.56, please provide the Public Records related to all the reviews provided for the Seattle Dept of Construction and Inspections of the functionally related development proposed at these adjacent addresses: • 3420, 3422 and 3424 23rd Ave West, and • 3414, 3416 and 3618 23rd Ave West, and • 3410 and 3412 23rd Ave West. The records sought are all email correspondence between the Fire department and Seattle Department of Construction and Inspections and / or the owner / developer / owner's contact, and/or the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission.] Please include digitally prepared /scanned drawings; all reports and letter from the SDCI website as of the date of this request. A similar request has been made to SDCI, but not related to fire protection, suppression, water pressure, or fire safety. (312)-965-0634

Status : Being Researched/Reviewed

ADA Notice

Notice of Nondiscrimination

Privacy

Powered by
GovQA

(11 PAGES NUP-19-019)

1 of 3

COMPLETE

1st INSTRUMENT.

SEE PAGES 4-7

FOR JUNE 21st

2nd INSTRUMENT

2 of 3

NOT

COMPLETED

BY

FIRE

DEPT.

SEE PAGES 8-10

Details

Construction & Inspections

C041446-043019

about a month ago

Per RCW42.56, please provide the Public Records related to all the applications and permitting of the collected single-entity functionally related development proposed at these adjacent addresses: • 3420, 3422 and 3424 23rd Ave West, and • 3414, 3416 and 3618 23rd Ave West, and • 3410 and 3412 23rd Ave West. The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at http://web6.seattle.gov/dpd/edms , drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission. Please include digitally prepared /scanned architectural, engineering and survey drawings; all structural reports and geotechnical evaluations excluded from the SDCI website as of the date of this request. All geotechnical drawings, reports, and calculations relevant to documenting the completeness of the applications. Especially sought are the current set of drawings that we commented on in the SDCI's correction notices. (312)-965-0634

Status : Installment(s)

David Moehring

PAID

View Invoices

View Files

Details

« 1 2 3 4 »

3 of 3
NOT
COMPLETED
BY
SDCI
SEE PAGE 11.
PROMISED FOR
JUNE 19

Information entered on a public disclosure request is subject to Washington Public Records Act, and may be subject to a third-party requestor. At the City of Seattle, we are committed to protecting your privacy and will ensure that any disclosures are done according to law. To learn more about how this information is managed, please see our [Privacy](#)

ADA Notice

Notice of Nondiscrimination

Privacy

Powered by
GovQA

5/31 7:10 PM

Message to
Hearns Examiner

X042864-053119 - Unrecognized Email

Message History (3)

On 5/31/2019 7:19:08 PM, David Moehring wrote:

TO: "City of Seattle Public Records Request Center"[seattle@mycushelp.net], "Johnson, Alayna"[Alayna.Johnson@seattle.gov], "Landry, David"[David.Landry@seattle.gov], [bgribben@helsell.com]
RE: lack of timely response to public records request::: In response to my three public records requests for these related properties near my property, the pending receipt of the forthcoming public records two months after the date of the request will likely impact an administrative appeal on MUP-19-019 and MUP-19-020, and possibly an addition appeal. How? The developer's attorney is issuing a pre-hearing dispositive motion on June 10th. Receiving these requested public records closer to June 21st versus May 31st (or in the case of the Fire Marshall - no confirmation to any date of response) will result in delaying the time required for the Appellants to reply to the motion (especially if the records received are deemed to be incomplete). Please confirm Monday the latest receipt dates for the three (3) requests: Construction & Inspections - C041446-043019; and Fire Marshall's Office - C041447-043019; and Department of Transportation - C041448-043019 (see below). David Moehring forNeighbors to Mirra Homes Developments
3444B 23rd Ave Wdmoehring@consultant.com

On 5/31/19 at 11:53 AM, City of Seattle Public Records Request Center wrote:

On 5/31/2019 7:19:08 PM, City of Seattle Public Records Request Center wrote:

Hello,

Unfortunately the E-mail you sent the City of Seattle is not associated with a records request in our Public Records Request Center and we are unable to route or post your message. If you altered the subject line of the E-mail, please note that doing that will cause this issue. Please return to the City of Seattle Public Records Request Center where you can update any existing request(s).

Please use the Public Records Request Center on Seattle.gov where you can manage your profile, submit record requests, track your request status, receive and send messages, make payments, view frequently asked questions, and download your records.

Subject: Missing 3 Public records requests : C041448-043019

Body: TO: "City of Seattle Public Records Request Center"[seattle@mycushelp.net], "Johnson, Alayna"[Alayna.Johnson@seattle.gov], "Landry, David"[David.Landry@seattle.gov], [bgribben@helsell.com]
RE: lack of timely response to public records request::: In response to my three public records requests for these related properties near my property, the pending receipt of the forthcoming public records two months after the date of the request will likely impact an administrative appeal on MUP-19-019 and MUP-19-020, and possibly an addition appeal. How? The developer's attorney is issuing a pre-hearing dispositive motion on June 10th. Receiving these requested public records closer to June 21st versus May 31st (or in the case of the Fire Marshall - no confirmation to any date of response) will result in delaying the time required for the Appellants to reply to the motion (especially if the records received are deemed to be incomplete). Please confirm Monday the latest receipt dates for the three (3) requests: Construction & Inspections - C041446-043019; and Fire Marshall's Office - C041447-043019; and Department of Transportation - C041448-043019 (see below). David Moehring forNeighbors to Mirra Homes Developments

3444B 23rd Ave Wdmoehring@consultant.com

On 5/31/19 at 11:53 AM, City of Seattle Public Records Request Center wrote:

This is an auto-generated email and has originated from an unmonitored email account. Please DO NOT REPLY.

On 5/31/2019 7:19:03 PM, David Moehring wrote:

Request was created by customer

C041448-043019 - Transportation - General

Message History (10)

On 5/31/2019 4:36:13 PM, David Moehring wrote:
TO: "City of Seattle Public Records Request Center"[seattle@mycushelp.net]
This late date may impact response to MUP-19-019 and MUP-19-020.

David Moehring
312-965-0634

Sent: Tuesday, May 14, 2019 at 1:22 PM
From: "City of Seattle Public Records Request Center"
To: "dmoehring@consultant.com"
Subject: Transportation - General :: C041448-043019

On 5/21/2019 11:53:27 AM, City of Seattle Public Records Request Center wrote:

Subject: Transportation - General :: C041448-043019
Body:

Dear David Moehring,

This communication is in response to your public disclosure request C041448-043019 received on April 30, 2019.

The purpose of this email is to provide a status update regarding your request. SDOT needs additional time to respond to your request due to further research. At this time, the Department anticipates that it will be able to provide the requested records or a second installment of records on or about June 21, 2019.

Sincerely,
Carla Jackson
Public Disclosure Officer
City of Seattle, Department of Transportation
(206) 386-9031

On 5/14/2019 3:10:32 PM, City of Seattle Public Records Request Center wrote:

Subject: Transportation - General :: C041448-043019
Body:

Dear David Moehring,

This email is in response to your public disclosure request C041448-043019 received on April 30, 2019 regarding the following:

Per RCW42.56, please provide the Public Records related to all the applications and street permitting of the collected single-entity functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect.

City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission.] Please include digitally prepared /scanned documents including arborist reports, tree conditions and records, correspondence and photographs specific to these addresses. (312)-965-0634

Thank you for your email. I will circle back to the record holders. In the meantime, I have re-opened your request.

Pursuant to RCW 42.56.520, this is notification that the City of Seattle has received your public disclosure request. At this time, we anticipate that we will be able to provide the requested records or a second installment of records on or about May 31, 2019.

Sincerely,
Carla Jackson
Public Disclosure Officer
City of Seattle, Department of Transportation
(206) 386-9031

JUNE 21 FOR SDOT

On 5/14/2019 2:45:42 PM, David Moehring wrote:

TO: [seattle@mycushelp.net]

This appears to be incomplete. There are only 8 documents, one of which was on the SDCI website as well. What is missing: an email correspondence, record photos, and arborist reports. David Moehring

312-965-0634 Permit Seattle Dept of Transportation No.: 405377

For projects longer than 6 months in duration, an on-site project information notice shall be posted and maintained at each closure that is

visible to the public that shall include the following:

- o The name, address, description, and duration of the project
- o Permittee 24-hour contact information (name, phone number, and email)
- o List of right of way closures with dates, duration, and hours of closures
- o SDCI and SDOT permit numbers
- o A reference to 684-ROAD for residents to report safety or mobility concerns
- o If available, a link to the project website
- For crosswalk closures longer than two weeks in duration,

Sent: Tuesday, May 14, 2019 at 1:22 PM
From: "City of Seattle Public Records Request Center"
To: "dmoehring@consultant.com"
Subject: Transportation - General :: C041448-043019

On 5/14/2019 1:22:15 PM, City of Seattle Public Records Request Center wrote:

Subject: Transportation - General :: C041448-043019
Body:

Dear David Moehring,

Records are now available in response to your request C041448-043019 regarding the following:

Per RCW42.56, please provide the Public Records related to all the applications and street permitting of the collected single-entity functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect.

City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dbd/edms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission.] Please include digitally prepared / scanned documents including arborist reports, tree conditions and records, correspondence and photographs specific to these addresses. (312)-965-0634

The records being made available to you at this time include the following: Installment

To view or download your records, please:

- Navigate to Public Record Request Center
- Select 'My Records Request Center'
- View your requests and select this request, C041448-043019
- Select the 'Details' button
- A link to your record(s) will be listed under the 'Attachments' section
- Please save your records as you may only open or download them from the system three times.
- If you do not download your records within 30 days of request closure, the link to your records will expire.

If you do not download your records within 30 days from today, we may close your request.

If you believe you have received privileged or confidential records in error, please notify the City of Seattle immediately, through the Public Records Request Center or by email. Privileged or confidential records provided or received in error should not be reviewed, used, disseminated, distributed, or copied, and should be destroyed immediately. Thank you in advance for your cooperation.

We have provided all records responsive to your request. Your request is now closed.

Sincerely,

Carla Jackson
Public Disclosure Officer
City of Seattle, Department of Transportation
(206) 386-9031

On 5/14/2019 12:10:54 PM, City of Seattle Public Records Request Center wrote:

Subject: City of Seattle Public Records Request Center - Payment Received :: C041448-043019
Body:

Dear David Moehring,

Thank you for your recent payment to the City of Seattle Public Records Request Center on 05/14/2019.

Within one to two business days, you will receive an email from your public disclosure officer indicating your records are available and instructing you on how to retrieve them.

Public Disclosure Request Number: C041448-043019

Invoice Number: INV19-C041448-1

Payment Date: 05/14/2019

Invoice Status: Paid

You can view your payments by logging in to the Public Records Request Center.

Please add seattle@mycusthelp.net to your email contacts/address book to ensure delivery of the record center e-mails to your inbox.

This is an auto-generated email originating from an unmonitored email account. Please DO NOT REPLY.

On 5/14/2019 10:32:13 AM, City of Seattle Public Records Request Center wrote:

Subject: City of Seattle Public Records Request Center - Invoice Ready :: C041448-043019
Body:

Dear David Moehring,

Records in response to your public disclosure request **C041448-043019** received on April 30, 2019 are now available. The cost for the records is as follows:

Invoice Number: INV19-C041448-1
Total: **\$1.25**

To pay online, please follow these steps:

1. Log in to the [Public Records Request Center](#).
2. Locate your request in the 'My Records Request Center.'
3. Select 'View My Requests.'
4. Select the 'View Invoices' button.
5. Click on the Invoice ID number to open your invoice.
6. Click the 'Pay Now' button to be routed to the City's secure online payment service.

Please note that you will need to disable any pop-up blockers to make a payment using the system.

Once your payment has been approved, we will send you an email with instructions on how to download your records. **Note that City staff must manually upload records. Records will be available one to two business days after payment.**

Please let your public disclosure officer (PDO) know if you are unable to pay online; your PDO will work with you on alternative ways to make your payment.

You have 30 days from today's date to pay for your records. If the City does not receive your payment within this time period, your request will be considered abandoned, and you will need to submit a new request.

Please add seattle@mycusthelp.net to your email contacts/address book to ensure delivery of the record center emails to your inbox.

This is an auto-generated email originating from an unmonitored email account. Please DO NOT REPLY.

☒ On 5/6/2019 7:13:54 AM, City of Seattle Public Records Request Center wrote:

Subject: Transportation - General :: C041448-043019
Body:

Dear David Moehring,

This acknowledges receipt of your public disclosure request C041448-043019 received on April 30, 2019 regarding:

Per RCW42.56, please provide the Public Records related to all the applications and street permitting of the collected single-entity functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect.

City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/apd/adms>, drawings have not been included on the SDCI website even through the 'Snapshot' and correction comments refer to some of the drawings within the overall submission.] Please include digitally prepared /scanned documents including arborist reports, tree conditions and records, correspondence and photographs specific to these addresses. (312)-965-0634

Pursuant to RCW 42.56.520, this is notification that the City of Seattle has received your public disclosure request. At this time, we anticipate that we will be able to provide the requested records or a first installment of records on or about June 6, 2019.

Sincerely,
Carla Jackson
Public Disclosure Officer
City of Seattle, Department of Transportation
(206) 386-9031

☒ On 4/30/2019 5:30:11 PM, City of Seattle Public Records Request Center wrote:

Dear David Moehring,

Welcome to the City of Seattle Public Records Request Center (PRRC). Your request was received on April 30,

2019 and is appended below.

The reference number for this request is C041448-043019. You will see this number in the title of any communications about this request.

You will hear from a Public Disclosure Officer within five business days regarding the status of your request.

Please visit the City of Seattle Public Records Request Center where you can manage your profile and access your request. Your login ID is: dmoehring@consultant.com

If a Public Disclosure Officer submitted your public disclosure request into the PRRC on your behalf, please login and complete your new user account by following these steps:

- o Access the Public Records Request Center
- o Select 'Forgot my Password'
- o Enter your 'Login ID' (email address)
- o A temporary password will be sent to you via email
- o Login with the temporary password
- o You will be asked to create a new password

You may now visit the PRRC 'My Records Request Center' anytime!

Request C041448-043019:

5/28 3:30 PM

C041447-043019 - Fire Marshal's Office - General

Message History (7)

On 5/28/2019 3:31:51 PM, City of Seattle Public Records Request Center wrote:

Subject: Fire Marshal's Office - General :: C041447-043019
Body:

Dear David Mochring,

This email is in response to your public disclosure request C041447-043019 received on April 30, 2019 regarding the following:

Per RCW42.56, please provide the Public Records related to all the reviews provided for the Seattle Dept of Construction and Inspections of the functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Fire department and Seattle Department of Construction and Inspections and / or the owner / developer / owner's contact, and/or the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms> , drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission.] Please include digitally prepared /scanned drawings; all reports and letter from the SDCI website as of the date of this request. A similar request has been made to SDCI, but not related to fire protection, suppression, water pressure, or fire safety. (312)-965-0634

→ I will pass this information on to our IT department. Thank you.

Sincerely,
Jennifer Guy
SFD Public Records Officer

No DATE FOR
RECORDS

On 5/24/2019 4:54:49 PM, David Mochring wrote:

TO: "City of Seattle Public Records Request Center"[seattle@mycusthelp.net]
The emails should include at least one of these addresses: • 3410 23rd Ave W • 3412 23rd Ave W • 3414 23rd Ave W • 3416 23rd Ave W • 3618 23rd Ave W • 3420 23rd Ave W • 3422 23rd Ave W and/ or 3424 23rd Ave W, and

I would guess that if I provided either the name of develop, etc... the search would include projects that are not within one of these addresses. in addition but not exclusive to the above, you may also search 3032940, and/or 3032876 and/or 3032857 and 6688712 David Mochring

312-965-0634

Sent: Friday, May 24, 2019 at 3:47 PM

From: "City of Seattle Public Records Request Center"

To: "dmochring@consultant.com"

Subject: Fire Marshal's Office - General :: C041447-043019

8

☒ On 5/24/2019 3:47:24 PM, City of Seattle Public Records Request Center wrote:

Subject: Fire Marshal's Office - General :: C041447-043019
Body:

Dear David Mochring,

This email is in response to your public disclosure request C041447-043019 received on April 30, 2019 regarding the following:

Per RCW42.56, please provide the Public Records related to all the reviews provided for the Seattle Dept of Construction and Inspections of the functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Fire department and Seattle Department of Construction and Inspections and / or the owner / developer / owner's contact, and/or the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/cdms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission.] Please include digitally prepared /scanned drawings: all reports and letter from the SDCI website as of the date of this request. A similar request has been made to SDCI, but not related to fire protection, suppression, water pressure, or fire safety. (312)-965-0634

An IT search term analysis has resulted in a rather large amount of emails found. In an effort to narrow the search and provide you with the records in response to your request, I have been advised to ask if you can provide additional search terms, and/or names (owner, architect, developer, inspectors, etc.) related to your request. Please let me know if you have any questions.

Sincerely,
Jennifer Guy
SFD Public Records Officer

☒ On 5/17/2019 5:02:14 PM, City of Seattle Public Records Request Center wrote:

Subject: Fire Marshal's Office - General :: C041447-043019
Body:

Dear David Mochring,

This email is in response to your public disclosure request C041447-043019 received on April 30, 2019 regarding the following:

Per RCW42.56, please provide the Public Records related to all the reviews provided for the Seattle Dept of Construction and Inspections of the functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Fire department and Seattle Department of Construction and Inspections and / or the owner / developer / owner's contact, and/or the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/cdms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission.] Please include digitally prepared /scanned drawings: all reports and letter from the SDCI website as of the date of this request. A similar request has been made to SDCI, but not related to fire protection, suppression, water pressure, or fire safety. (312)-965-0634

The purpose of this email is to provide you with a status update regarding your request. The file folders and databases have been searched for the subject properties, and no records related to your request have been found.

Our IT department is currently searching emails for records related to your request. I have been advised that sometimes this process can take some time. At this time, I am unable to provide you with a specific date on when any information will be available. However, I will follow-up with you no later than Friday, May 24, 2019 on the new status of your request. Thank you so much for your patience, and please let me know if you have any questions.

Sincerely,
Jennifer Guy
SFD Public Records Officer

☒ On 5/8/2019 4:22:35 PM, City of Seattle Public Records Request Center wrote:

Subject: Fire Marshal's Office - General :: C041447-043019
Body:

Dear David Moehring,

This acknowledges receipt of your public disclosure request C041447-043019 received on April 30, 2019 regarding:

Per RCW42.56, please provide the Public Records related to all the reviews provided for the Seattle Dept of Construction and Inspections of the functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Fire department and Seattle Department of Construction and Inspections and / or the owner / developer / owner's contact, and/or the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms>, drawings have not been included on the SDCI website even through the 'snapshot' and correction comments refer to some of the drawings within the overall submission. I am interested in the full submission.] Please include digitally prepared / scanned drawings; all reports and letter from the SDCI website as of the date of this request. A similar request has been made to SDCI, but not related to fire protection, suppression, water pressure, or fire safety. (312)-965-0634

Pursuant to RCW 42.56.520, this is notification that the City of Seattle has received your public disclosure request. At this time, we anticipate that we will be able to provide the requested records or a first installment of records on or about **Friday, May 17, 2019**.

Sincerely,
Jennifer Guy
SFD Public Records Officer

☒ On 4/30/2019 5:18:55 PM, City of Seattle Public Records Request Center wrote:

Dear David Moehring,

Welcome to the City of Seattle Public Records Request Center (PRRC). Your request was received on April 30,

2019 and is appended below.

The reference number for this request is C041447-043019. You will see this number in the title of any communications about this request.

You will hear from a Public Disclosure Officer within five business days regarding the status of your request.

Please visit the City of Seattle Public Records Request Center where you can manage your profile and access your request. Your login ID is: dmoehring@consultant.com

If a Public Disclosure Officer submitted your public disclosure request into the PRRC on your behalf, please login and complete your new user account by following these steps:

- o Access the Public Records Request Center
- o Select 'Forgot my Password'
- o Enter your 'Login ID' (email address)
- o A temporary password will be sent to you via email
- o Login with the temporary password
- o You will be asked to create a new password

You may now visit the PRRC 'My Records Request Center' anytime!

Request C041447-043019:

C041446-043019 - Construction & Inspections

Message History (3)

☒ On 5/7/2019 7:29:37 AM, City of Seattle Public Records Request Center wrote:

Subject: Construction & Inspections :: C041446-043019
Body:

Dear David Moehring,

This acknowledges receipt of your public disclosure request C041446-043019 received on April 30, 2019 regarding:

Per RCW42.56, please provide the Public Records related to all the applications and permitting of the collected single-entity functionally related development proposed at these adjacent addresses:

- 3420, 3422 and 3424 23rd Ave West, and
- 3414, 3416 and 3618 23rd Ave West, and
- 3410 and 3412 23rd Ave West.

The records sought are all email correspondence between the Seattle Department of Construction and Inspections and the owner / developer / owner's contact, and the architect. City records for the drawings as referenced from documents on the SDCI website appear to be missing records. [For example, looking at <http://web6.seattle.gov/dpd/edms> , drawings have not been included on the SDCI website even through the 'snapshot' and correction comments referred to some of the drawings within the overall submission. I am interested in the full submission. Please include digitally prepared / scanned architectural, engineering and survey drawings; all structural reports and geotechnical evaluations excluded from the SDCI website as of the date of this request. All geotechnical drawings, reports, and calculations relevant to documenting the completeness of the applications. Especially sought are the current set of drawings that we commented on in the SDCI's correction notices. (312)-965-0634

Pursuant to RCW 42.56.520, this is notification that the City of Seattle has received your public disclosure request. At this time, we anticipate that we will be able to provide the requested records or a first installment of records on or about June 18, 2019.

Sincerely,
*SCI *PDR

☒ On 4/30/2019 5:13:17 PM, City of Seattle Public Records Request Center wrote:

Dear David Moehring,

Welcome to the City of Seattle Public Records Request Center (PRRC). Your request was received on April 30,

GovQA

Page 1

JUNE 18
FOR SDCI

2019 and is appended below.

The reference number for this request is C041446-043019. You will see this number in the title of any communications about this request.

You will hear from a Public Disclosure Officer within five business days regarding the status of your request.

Please visit the City of Seattle Public Records Request Center where you can manage your profile and access your request. Your login ID is: dmoehring@consultant.com

If a Public Disclosure Officer submitted your public disclosure request into the PRRC on your behalf, please login and complete your new user account by following these steps:

- o Access the Public Records Request Center
- o Select 'Forgot my Password'
- o Enter your 'Login ID' (email address)
- o A temporary password will be sent to you via email
- o Login with the temporary password
- o You will be asked to create a new password

You may now visit the PRRC 'My Records Request Center' anytime!

Request C041446-043019:

GovQA

Page 2

11

5/7/ 7:29 AM