#### **APPEAL ATTACHMENT '13'**

 From:
 Pawling, Scott

 To:
 PRC

Cc: <u>David Moehring</u>

**Subject:** RE: Prior grading activities on 23rd ave W Project #6694812-EX

 Date:
 Monday, April 29, 2019 1:33:21 PM

 Attachments:
 image004.png

image005.png image006.png image001.png

The results letter, "Approved Relief from Prohibition on Steep Slope Development," that is quoted below does NOT say that ECA review isn't required. On the contrary, the last sentence states that "the remaining ECA Regulations will apply," which means that the relevant ECA Code sections WILL apply to this project; the SDCI Geotechnical Engineering Group will review the project to verify compliance. The "approved relief" only means that the development within steep slope critical areas and 15-foot buffers is allowed, but only if it is also allowed by other codes.

Therefore, proposed development within a steep slope ECA or its buffer is allowed within the drip line of a tree only if the zoning reviewer determines this is allowed regardless of the steep slope. In other words, the SDCI geotechnical engineer only reviews the project relative to the steep slopes and other geotechnical issues and does not directly consider codes meant to protect the trees. The SDCI zoning reviewer will determine whether trees can be removed.

Regards, Scott



Scott Pawling, P.E. (he/him/his) Senior Geotechnical Engineer

Seattle Department of Construction and Inspections

O: 206.684.0819 | scott.pawling@seattle.gov



As stewards and regulators of land and buildings, we preserve and enhance the equity, livability, safety and health in our communities.

From: PRC <PRC@seattle.gov>

Sent: Monday, April 29, 2019 1:07 PM

**To:** Pawling, Scott <Scott.Pawling@seattle.gov> **Cc:** David Moehring <dmoehring@consultant.com>

Subject: FW: Prior grading activities on 23rd ave W Project #6694812-EX

From: David Moehring <dmoehring@consultant.com>

Sent: Sunday, April 28, 2019 10:34 AM

To: PRC < PRC@seattle.gov >

**Cc:** SCI\_Code\_Compliance < SCI\_Code\_Compliance@seattle.gov> **Subject:** Prior grading activities on 23rd ave W Project #6694812-EX

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

The City's assessment of 3434 23rd Ave W has placed my property at risk relative to the accumulative effects to development within potential landslide areas. As such, please retract with this development and the recent development at the toe of the slope at my property the waiver that me and my wife were required to sign at property closing in April 2016.

#### Look here:

http://web6.seattle.gov/dpd/edms/GetDocument.aspx?id=4457363


Incompletely states the following:

"Based on a review of the City GIS system and submitted information, SDCI concludes that steep slope critical areas on and adjacent to the subject property appear to be created by previous legal grading activities associated with site development. Consequently, this project qualifies for Relief from Prohibition on Steep Slope Development per SMC 25.09.090.B2b. No Steep Slope Area Variance is required for permit applications. Except as described herein, the remaining ECA Regulations will apply."

#### An ECA Review must be Required for the following reasons:

- 1) See the attached Seattle GIS image on the lot at 3424 23rd Ave W.
- 2) The slope pitches down to the northwest-west 30 feet in drop across a distance of 29 feet.
- 3) Historical contours (prior to development of this lot), duplicate a 30 foot drop within this area. The waiver for adjustments in grading from activity do not nullify this site is still on a steep slope on unstable soils.
- 4) This is a designated potential landslide area.
- 5) There are actual landslide failures within 1000 feet from this lot.
- 6) The 2006 geotechnical report from Cornerstone Geotechnical, Inc. of my property (within 300 feet) confirms that the area is accurately mapped as a Potential Landslide due to Geologic Conditions ECA. It demonstrates that the site is underlain by either pre-Vashon sediments or Lawton Clay and is within 200 feet of the contact of these soils and Esperance Sand.
- 7) A review of the GIS system topographic contours (based on aerial photography and LiDAR) indicates that the slope and/or its buffer of the property might be affected by the development. The cross-section of development only increases risks with excavations steeper than 4 feet in depth.
- 8) The required topographic survey must be reviewed to determine the applicability of an exemption from the Steep Slope ECA development standards.

David Moehring AIA NCARB 3444 23rd Ave W, #B Seattle WA 98199



#### Geotechnical Report

Proposed Development: 3410-3420 23rd Avenue W, Seattle, WA

September 28, 2018




Plate 1. Typical east-west building section, looking north.

JW Architects LTD 1257 S King St SEATTLE, WA 98144

Re: Project #6694807-EX

#### Approved Relief from Prohibition on Steep Slope Development

Review Type ECA GEOTECH Date November 30, 2018 Project Address 3416 23RD AVE W **Contact Phone** (206) 953-1305

Contact Email dpd@jwaseattle.com Address Seattle Department of Construction and

Inspections

**SDCI Reviewer** Jim Mattoon **Reviewer Phone** (206) 684-5979

700 Fifth Ave Suite 2000 P.O. Box 34019


**Reviewer Fax** Reviewer Email Jim.Mattoon@seattle.gov

Seattle, WA 98124-4019


Owner BROOKE FRIEDLANDER

Corrections also apply to Project(s)


1. SMC 25.09. We require an Environmentally Critical Areas (ECAs) review for this project. Further, we require a geotechnical engineering report and topographic survey as part of the building permit application. The project is described as construction of two townhouses at 3416 and 3418 23rd Avenue West. Based on a review of the submitted information and the City GIS system, we conclude that the project and steep slope areas at and adjacent to the site appear to quality for criteria established in the Critical Areas Regulations, SMC 25.09.090.B2c. Specifically, the City GIS system and the submitted information for the exemption application demonstrated that the steep slope area appears to be less than 20 feet in height and 30 feet or more from other steep slope areas. Further, the geotechnical letter by PanGEO, Inc., dated September 28, 2018, inferred that granting steep slope relief will not result in adverse impacts on the site and adjacent properties. For this reason, we waive the required ECA Steep Slope Variance associated with the building permit application. We condition our approval upon a building permit application for a design that demonstrates that the proposed development will be completely stabilized in accordance with the geotechnical engineer's recommendations as well as provisions of the ECA Code and Grading Code. All other ECA Submittal, General, and Landslide-Hazard, and development standards still apply for this development.



What Do You Want To Do?



APPEAL ATTACHMENT 14"



Hearing Examiner Barbara Dykes Ehrlichman

1

3

4

6

7

8

In the Matter of the Appeals of:

DEVELOPMENTS,

**NEIGHBORS TO MIRRA HOMES** 

from decisions issued by the Director, Seattle

Department of Construction and Inspections.

10

11

12

14

15

16

17 18

19

20

22

24

25

23

DECLARATION OF ANDY MCANDREWS IN SUPPORT OF APPLICANTS' AND OWNER'S RESPONSE TO MOEHRING'S MOTION FOR EXTENSION OF TIME - 1

#### BEFORE THE HEARING EXAMINER CITY OF SEATTLE

Hearing Examiner Files: MUP-19-019 (P) & MUP 19-020 (P)

Department References: 3032834-LU & 3032833-LU

DECLARATION OF ANDY MCANDREWS IN SUPPORT OF APPLICANTS' AND OWNER'S RESPONSE TO MOEHRING'S MOTION FOR EXTENSION OF TIME

- I, Andy McAndrews, declare and state as follows:
- I am over the age of eighteen and am a citizen of the United States. I have personal knowledge of the facts set forth herein and am competent to testify.
- 2. I am the applicant for land use permit 3032833-LU (the "Permit) that was submitted on behalf of Mirra 111 LLC ("Mirra"), the entity that owns the property located at 3410 23<sup>rd</sup> Avenue West in the Magnolia neighborhood of Seattle (the "Property").
- 3. The Permit seeks to subdivide the Property into two separate lots. Because the Permit is for a short subdivision, it was not subject to review by SDOT or the Fire Marshall's Office. Attached as Exhibit A is a printout from the City's portal system, which demonstrates that reviews were not required for Transportation or for Fire.

HELSELL FETTERMAN

Helsell Fetterman LLP 1001 Fourth Avenue, Suite 4200 Seattle, WA 98154-1154 206.292.1144 WWW.HELSELL.COM

1	<ol> <li>While the Fire review does contain a note that states: "Future structures built</li> </ol>
2	on Parcel B may require sprinklers if the approved fire apparatus access road does not meet
3	the distance requirements set forth in SFC Section 503.1.1," this is not applicable to the
4	Permit because it does not authorize the construction of any structures.
5	I declare under penalty of perjury under the laws of the State of Washington that the
6	foregoing is true and correct.
7	SIGNED this 18th day of June, 2019, in Seattle Washington.
8	
9	Andy McAndrews
10	V
11	
12	
13	ñ
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	

DECLARATION OF ANDY MCANDREWS IN SUPPORT OF

MOEHRING'S MOTION FOR EXTENSION OF TIME - 2

APPLICANTS' AND OWNER'S RESPONSE TO

23

24

25

### EXHIBIT A



Mayor Jenny A. Seattle.govkan

#### **Seattle Services Portal**

**A** Home

■ My Records

# Help

🗓 Announcements 🙎 Register for an Account

Search All Records

3032833



Record Number: 3032833-LU

Master Use Permit

Record Status: Published

Expiration Date: 01/31/2018

Record Info:

Record Details

Status

Related Records

Attachments

Inspections & Appointments

Payments:

Fees

#### Status

Application

✓ Intake

Intake Fees

Large Sign Confirmation

✓ Reviews

#### Due on 10/12/2018, assigned to TBD Marked as In Process on 10/12/2018

Mayor Jenny A.

#### Seattle.gov and Due on 10/12/2018, assigned to TBD Marked as Corrections Required on 02/15/2019

Due on 10/12/2018, assigned to TBD
Marked as Corrections Submitted on 02/20/2019

Due on 10/12/2018, assigned to TBD Marked as In Process on 02/22/2019

Due on 10/12/2018, assigned to TBD Marked as Completed on 02/26/2019

#### Additional Information:

Review Cycle

2

- Review Selection
  - City Light
  - Drainage
  - ECA Riparian
  - Electrical
  - Environmental Health
  - ▼ Fire

Due on 10/26/2018, assigned to TBD Marked as Pending Assignment on 10/12/2018

Due on 11/01/2018, assigned to TBD

Marked as Completed on 11/01/2018

Future structures built on Parcel B may require sprinklers if the approved fire Comment: apparatus access road does not meet the distance requirements set forth in SFC Section 503.1.1.

#### Additional Information:

Review Cycle

- view Cycle
- Housing

Floodplain

- King County Metro-Transit
- ✓ ▶ Land Use
  - MIMP Citizen Advisory Committee
  - Noise
  - Parks
  - Shoreline



- Tree
- WA Dept. of Transportation

#### Mayor lenny A. Seattle.govkan Addressing

- ECA GeoTech
- ECA Wetland
- ECA Wildlife
- Revegetation
- Neighborhoods
- King County Wastewater Treatment
- Ordinance
- Transportation DPD

Due on 10/26/2018, assigned to TBD Marked as Not Required on 10/12/2018

Additional Information:

Review Cycle

- Sound Transit
- Transportation MIMP

Due on 10/12/2018, assigned to TBD Marked as Not Required on 10/12/2018

Additional Information:

Review Cycle

1

Transportation Street Improvement

Due on 10/26/2018, assigned to TBD Marked as Not Required on 10/12/2018

Additional Information:

Review Cycle

1

Transportation Street Use

Due on 10/26/2018, assigned to TBD Marked as Not Required on 10/12/2018

Additional Information:

Review Cycle

1

Transportation TMP

Due on 10/26/2018, assigned to TBD Marked as Not Required on 10/12/2018

Additional Information:

#### Mandatory Housing Affordability

#### Seattle. But Utilities

- Geo Soils
- Incentive Zoning
- Policy
- Side Sewer Conflict
- Review Evaluation
- Design Review Meeting and Report

- Shoreline Review
- MUP Processing
  - Final Reviews

Review Selection

City Light

Drainage

**ECA Riparian** 

Electrical

**Environmental Health** 

Fire

Floodplain

Housing

King County Metro-Transit

Land Use

MIMP Citizen Advisory Committee

Noise

Parks

Shoreline

Tree

WA Dept. of Transportation

Zoning

Addressing

ECA GeoTech

**ECA Wetland** 

**ECA Wildlife** 

Revegetation

Ordinance

#### Neighborhoods

King County Wastewater Treatment
Mayor Jenny A.

Seattle govkan
Transportation Street Improvement
Transportation Street Use

Sound Transit

Transportation DPD

Transportation TMP

Transportation MIMP

Mandatory Housing Affordability

**Public Utilities** 

Geo Soils

Policy

Incentive Zoning

Side Sewer Conflict

Review Evaluation

Activate DevSite

Record Documents

Issuance Prep

Issuance

MUP Life

Closed

**ADA Notice** Notice of Nondiscrimination Privacy © 1995-2019 City of Seattle

# FAMILY

IMPORTANT NOTE: Some areas have neighborhood-specific regulations that are not reflected here. Please consult with Seattle DCI staff for individual projects.

# THIS ZONING CHART IS FOR ILLUSTRATIVE PURPOSES ONLY

General standards are shown. Please refer to the Land Use Code for exceptions and specific regulations. Due to the compeutity of the code, zoning questions cannot be answered by phone. If you have questions about Multifamily zoning, please arrange for a peal appointment with a land use pleamer or ask specific questions wis Seattle DCI's online land use Q&A at http://web6.seattle.gov/doi/LOAN. To make a caching appointment, at II the Applicant Service Center at 206-684-8850 or visit the ASC, located on the 20th floor of Seattle Municipal Tower at 700 Fifth Ave.

### Regulations common to all lowrise multifamily zones

### **Green Factor**

Landscaping is required to achieve a Green Factor score of .60 or higher (functionally equivalent of landscaping 60% of the lot). Credit is awarded for green roots, planters, green walls, landscap-

a minimum of 50% provided at ground level. Remaining area may be provided on the roof or on balconies. Shared space must be accessible to all residents, with a minimum area of 250 square feet An area equal to 25% of lot area is required as amenity area, with ing and plantings in the adjacent Right of Way. **Amenity Area Requirements** 

For Cottage Housing 150 SF of private amenity area and 150 SF of common amenity area per cottage must be provided, plus 150 SF of common amenity area for carriage house units.

(SF) and a minimum dimension of 10'.

## Parking Requirements

- None required in urban centers and station areas and in urban villages for lots within 1/4 mile of frequent transit service.
- All other areas: 1 space per unit, except Alki and portions of the University District where the requirement is 1.5 spaces
- Required parking must be located within 800°, or on the lot

/ nnit

on the side, rear or beneath the structure. Access from an alley is required if an alley is present, with some allowances for access from the street under special

Design Standards
For factors that face he server, general design standards require
for factors that face he has the provided by anticitating the factories varying
building materials, or using architectural features. These facades
must have desistation entities and a minimum area devoked to
windows. There are also specific design standards for each
mulfifemily housing type. Streamlined Design Review, an administrative design review performed by Seattle DCI staff is required for all townhouse developments with firee or more units. SDR is optional for cottage housing, rowhouses or apartment housing types. Projects under-going SDK are not subject to ordarin prescriptive design standards, and may be allowed minor adjustments to certain development standards to allow flexibility and improve design. Streamlined Design Review (SDR)

**Design Review**Multfamily projects of a certain size are required to undergo full Design Review, performed by neighborhood Design Review

Green Building LEED, Built Green, or Evergreen Sustainable Development Standards required for projects gaining higher FAR or density allowed per SINC 23.45.510.C.



Printed on 100% recycled paper containing 30% post-consumer waste January 2016

### **Housing Types:**

housing types: cottage housply according to the following ing, rowhouses, townhouses Development standards apor apartments.

See SMC 23.84.032 for complete housing type definitions.

# **Cottage Housing**


common open space. 950 SF is the maximum size allowed for Individual cottage house structures are arranged around a each cottage.

## Rowhouse



Each rowhouse directly faces the street with no other principal housing units behind the rowhouses. Rowhouses occupy the space from the ground to the roof. Units can not be stacked.\* Rowhouses are attached side by side along common walls.

## **Townhouse**



other townhouses units as seen from the street.\* Townhouses are attached al occupy the space from the g be stacked. Principal townho

along common walls. Townhouses	Multifamily housing that is not
ground to the roof. Units can not	houses is considered apartme
ouse units may be located behind	

t cottage housing, rowhouses, or townents. Apartment units may be stacked.

# LR1 - Lowrise

between single family zoned areas and more intense multifamily and The LR1 zone provides a transition ing types similar in scale to single rowhouses and townnhouses are Growth Areas\*\*\*. A mix of housappropriate for areas outside of commercial areas. LR1 is most family homes such as cottages, encouraged.

Floor Area Ratio (FAR)** 1.1	Ę	1.0 or 1.2	0.9 or 1.1	1.0
Density Limit**	1 unit / 1,600 SF lot area	1 unit / 1,600 SF lot area on lots less than 3,000 SF 1 unit All others: No Limit	1 unit / 2,200 SF or 1 unit / 1,600 SF lot area 1 unit / 2	1 unit / 2,000 SF lot area (duplexes and triplexes only)
Building Height	18' + 7' for a roof with minimum 6:12 pitch	30' + 5' for roof with minimum 6:12 pitch	30' + 5' for roof with minimum 6:12 pitch	30' + 5' for roof with minimum 6:12 pitch
Building Setbacks	Front, 7' Average, 5' minimum Rear: 0' with Alley, 7' no Alley Side: 5' minimum	Front, 5' minimum Rear: 0' with Alley, 7' average, 5' minimum Side: *	Front: 7 Average, 5' minimum Rear: 7 Average, 5' minimum Side: 5' if building is 40' or less in length, or 7 Average 5' min.	Front 5' minimum Rear: 10' minimum with Alley, 15' minimum no Alley Ste: 5' if building is 40' or less in length, or 7' Average 5' min.
<b>Building Width Limit</b>	,09	,09	.09	45'
Max. Facade Length		line that is not a street or alley lot line, and 40' for a rowhouse unit	Applies to all: 65% of lot depth for portions within 15' of a side lot line that is not a street or alley lot line, and 40' for a rowhouse unit located within 15' of a a lot line that abus a lot in a single family zone.	
SDR	Optional	Optional **O'where abutifing another rowhouse otherwise 3.5' except	Required for 3 or more units	Optional

The LR2 zone provides for a varias townhouses, rowhouses and apartments are encouraged.

# LR2 - Lowri

when abutting a single-family zone, the setback is 5'

existing multifamily neighborhoods ety of multifamily housing types in and along arterial streets. LR2 is most appropriate for areas within scale to multifamily housing such Growth Areas\*\*\*. A mix of small

Density Limit**         1 unit / 1,800 SF lot area         1 unit / 1,800 SF lot area or No Limit         1 unit / 1,800 SF lot area or No Limit         1 unit / 1,200 SF lot area or No Limit         1 unit / 1,200 SF lot area or No Limit         20 + 5' for roof with minimum 6:12 pitch or 30° + 4' for roof with minimum 6:12 pitch or 30° + 4' for partially below grade floor           Building Height         18 + 7* Tora roof with minimum 6:12 pitch         30° + 5' for roof with minimum 6:12 pitch or 30° + 4' for partially below grade floor         30° + 4' for partially below grade floor           Building Setbacks         Same as LR1         Same as LR1         Same as LR1         30° + 4' for partially below grade floor           Building Width Limit         Not Limit         90°         90°         90°           Max. Facade Length         Applies to all: 65% of lot length for portions of facades within 15° of a lot lime that is not a rear, street or alley lot line, and 40° for a rowhouse unit bocated within 15° of a lot line that abuse a lot in a single family zone.         90°           SpR         Optional         Required for 3 or more units         Optional         Optional	Floor Area Ratio (FAR)**	1.1	1.1 or 1.3	1.0 or 1.2	1.1 or 1.3
ling Setbacks         Same as LR1         Same as LR1	Density Limit**	1 unit / 1,600 SF lot area	No Limit	1 unit / 1,600 SF lot area or No Limit	1 unit / 1,200 SF or No Limit
ling Setbacks         Same as LR1         Same as LR1           ling Width Limit         Not applicable         No Limit         90'           Facade Length         Applies to all: 65% of lot length for portions of facades within 15' of a lot line that is not a rear, street or alley lot line, and 40' for a rowhouse unit located within 15' of a lot line that abuts a lot in a single fan           Pacade Length         Applies to all: 65% of lot length for portions of facades within 15' of a lot line that is not a rear, street or alley lot line, and 40' for a rowhouse unit located within 15' of a lot line that abuts a lot in a single fan	Building Height	18' + 7' for a roof with minimum 6:12 pitch	30' + 5' for roof with minimum 6:12 pitch	30' + 5' for roof with minimum 6:12 pitch	30" + 5" for roof with minimum 6:12 pitch or 30" + 4" for partially below grade floor
Ing Width Limit         Not applicable         90'           Facade Length         Applies to all: 65% of lot length for portions of facades within 15' of a lot line that is not a rear, street or alley lot line, and 40' for a rowhouse unit located within 15' of a lot line that abuts a lot in a single facade Length           Pacade Length         Applies to all: 65% of lot length for portions of facades within 15' of a lot line that abuts a lot line a single facade.	<b>Building Setbacks</b>	Same as LR1	Same as LR1	Same as LR1	Same as LR1
Facade Length Applies to all: 65% of lot length for portions of facades within 15 of a lot line that is not a rear, street or alley lot line, and 40' for a rowhouse unit located within 15' of a lot line that abuts a lot in a single fa	Building Width Limit	Not applilcable	No Limit	,06	,06
Optional Optional Required for 3 or more units	Max. Facade Length	Applies to all: 65% of lot length for portions of facades w	5' of a lot line that is not a rear, street or alley lot line, and 40' for a ro	whouse unit located within 15' of a lot line that abuts a lot in a single	e family zone.
	SDR	Optional	Optional	Required for 3 or more units	Optional

# R3 - Lowrise

existing multifamily neighborhoods of moderate scale. LR3 accommoety of multifamily housing types in small to moderate scale multifam-The LR3 zone provides for a varidates residential growth primarily within Growth Areas\*\*\*. A mix of ily housing is encouraged including apartments, townhouses and

			Growth Areas***	Outside Growth Areas***	Growth Areas***	Outside Growth Areas***
Floor Area Ratio (FAR)** 1.1	1.1	1.2 or 1.4	1.2 or 1.4	1.1 or 1.3	1.5 or 2.0	1.3 or 1.5 (1.6 on a street with frequent transit)
Building Height	18 + 7' for a roof with minimum 6:12 pitch	Rowhouses and Townhouses: 30' +5' for roof with min. 6:12 pitch and +4' for partially below grade floor; or +10' for roof with min. 6:12 pitch (no height added for below-grade floor).  Note: In some cases development is limited to 3 or 4 stories above grade in addition to the height limit (also applies to apartments).	ch and +4' for partially below gr	ade floor, or +10' for roof with min. ght limit (also applies to apartments).		40' +5' for roof with min. 6:12 pitch; or +4' for partially below-grade floor; 30' limit if within 60' of a single family zone.
Density Limit**	1 unit / 1,600 SF lot area	No Limit	1 unit / 1,600 SF lor area or No Limit	or No Limit	1 unit / 800 SF lot area or No Limit	ea or No Limit
<b>Building Setbacks</b>	Same as LR1	Same as LR1	Same as LR1		Same as LR1	
<b>Building Width Limit</b>	No Limit	No Limit	120' Outside growth areas	120' Outside growth areas, 150' Inside growth areas	120' Outside growth	120' Outside growth areas, 150' Inside growth areas
Max. Facade Length	Applies to all: 65% of lot depth for portions within 15' of a s	Applies to all: 65% of lot depth for portions within 15 of a side lot line that is not a street or alley lot line, and 40' for a rowhouse unit located within 15 of a a lot line that abusts a lot line single family zone.	it located within 15' of a a lot lin	e that abuts a lot in a single family zon	ø	
SDR	Optional	Optional	Required for 3 or more units	ts.	Optional	
* Accessory Dwelling Univ	' Accessory Dwelling Units (ADUs) are allowed and don't count against the density limit that applies to these housing types.	ensity limit that applies to these housing types.	-			

processory presents gravely are anovered and use to come against the transfer and a part of the professer mance (SMC 23.45.510.C).
\*\*\* The higher FAR and density limits apply life profest meets additional standards regarding parking location and access, alley paving, and green building performance (SMC 23.45.510.C).
\*\*\* Growth Areas include urban centers, urban villages, and station area overlay districts.



Legislative Department Seattle City Council Memorandum

Date:

April 22, 2010

From:

Councilmember Sally J. Clark

Subject:

Updates to Seattle Municipal Code Section 23.45, Lowrise zones

#### Introduction

I am pleased to be sponsoring legislation to update Seattle's Lowrise (LR) multifamily zones. The City's Multifamily Lowrise zones comprise approximately nine percent (3,780 acres) of the total area of the city, excluding parks and streets. Lowrise zones are intended to accommodate lower-scaled multifamily development, including single family homes, townhouses, and apartments. The City last made significant updates to this chapter of the code in 1989. While the 1989 amendments made many improvements, they also resulted in unforeseen problems in these zones.

The current update to the Lowrise zones is the second step in a two part process to update the City's multifamily code. The City Council began its review of multifamily zoning amendments recommended by the Executive in March, 2009. In September 2009, we split the proposal into two parts. This allowed the Council to spend additional time evaluating the Lowrise zone proposal. In December 2009, the Council adopted Ordinance 123209, which made significant changes to the City's Midrise and Highrise multifamily zones. We are now turning our attention back to the Lowrise zones.

In February, 2010, the Committee on the Built Environment (COBE) agreed on a schedule for completing the work on Lowrise zones, as shown below. The schedule anticipates approval of the legislation in July, 2010 (dates subject to change).

Updated Schedule for Council Review of Lowrise multifamily zones

Action	Date (all in 2010)
COBE provides direction to staff on proposed approach.	February-April
Publish draft LR zone legislation, notice of COBE public hearing, and the environmental review (SEPA) determination.	April 22
Public hearing at COBE on draft LR zone legislation.	May 25
Introduce LR zone legislation after making revisions based on public comment.	June 7
Further COBE review of LR zone legislation.	June 9 and 23, and July 14
COBE votes on LR zone legislation.	June 23 or July 14
Council vote on LR zone legislation.	June 28 or July 19

#### Problems with current Lowrise multifamily zones

The 1989 Lowrise code changes reduced the development potential in Lowrise zones by lowering the height limits, adding density limits, and setting stricter and sometimes duplicative standards. One result was to discourage the construction of apartment buildings in Lowrise zones, which have become de facto townhouse zones. For example, over the past five years, townhouses have made up more than 75 percent of the development in Lowrise zones.

Apartment construction, whether for ownership or rent, has moved to commercial and downtown zones. While housing adds to the vitality of these areas, these mixed use areas are not attractive to all households looking for multifamily units. Many people would prefer to live in a residential zone that is close to services, but located away from busy arterials and commercial uses. In particular, families with children may want to locate in Lowrise multifamily zones but cannot afford a townhouse unit. We need to look for ways to provide a greater variety of housing types in our Lowrise multifamily zones.

The fact that townhouses are currently the predominant housing type in Lowrise zones has exacerbated another impact of the 1989 code revisions—the proliferation of auto-oriented townhouse development. This is a housing form unique to Seattle, and while it has brought some benefits, including the creation of entry level housing for first time home buyers, it has also created many problems.

Auto-oriented townhouse developments highlight many of the problems created by the existing code. So much of the lot is given over to maneuvering a car that it reduces the livability of the units. The code currently requires each townhouse unit to have a private open space area. As shown in the photo on the left, this requirement results in small, unusable yards commonly called "cattle pens". The requirement for private space has also lead to monotonous fencing creating virtual walls along the street, as seen in the photograph on the right. If more room was available for people and not cars, the quality of design would improve.





This picture illustrates the problems created when townhouses are built around a street-facing automobile court. Existing development standards allow significant portions of townhouses to overhang and dominate the space. Autocourts designed for parking and access have resulted in paving most of the lot, leaving little space for use by residents. It can also be difficult to maneuver a large car in these spaces, so residents cannot use their garages. This requires residents to park on the street, which can add to parking congestion. The visual impacts to the street are clear.



We can do better.

#### Goals of the draft Council Proposal

As part of our review of the Lowrise zones, last fall we engaged three groups of architects and designers to show us what types of buildings former Mayor Nickels' proposal would create, in both the best and worst cases. The results were very informative.

We believe that the current proposal for the Lowrise zones addresses both the problems with the current zoning presented above, and those in the former Mayor's proposal that were identified last fall. In order to address these problems, the Committee has set the following goals for the proposed amendments to the Lowrise multifamily zones:

- Encourage well-designed buildings that fit in with established neighborhoods;
- Foster creative design solutions without adding unnecessarily to the cost of building new housing;
- Generally maintain the current overall scale and density of Lowrise zones;
- Support Comprehensive and Neighborhood Plan objectives;
- Promote sustainable development;
- Encourage a variety of housing types that provide choices for a growing and changing population;
- Respond to special locational characteristics, including "growth areas" (urban centers and villages, light rail station areas), and areas adjacent to single family zones; and
- Update and organize regulations so they are easier to use and understand.

#### **Highlights of draft Committee proposal**

The highlights of the draft Committee proposal are summarized below. While most amendments would apply only in Lowrise zones, there are three changes that would apply to most areas of the City, as noted in items 8, 9 and 10 below. For specific details and to obtain a copy of staff memorandum for each COBE meeting date, you can access this information through my website - <a href="http://seattle.gov/council/clark/2009townhomes-mcuvideos.htm">http://seattle.gov/council/clark/2009townhomes-mcuvideos.htm</a>. The website provides a summary of the issues addressed at each meeting and includes a video link so that you can watch and listen to the Committee's discussions.

#### 1. Combine five Lowrise zone categories into three.

The proposed legislation would consolidate the current Lowrise zones from five to three. This would simplify the code while providing housing opportunities for multifamily zoned neighborhoods. The table below shows how the Lowrise zones are proposed to be combined and the type of housing each new zone is designed to accommodate:

Current Zone	Proposed Zone	Function of Proposed New Lowrise Zone
Lowrise Duplex Triplex (LDT) (318 acres) Lowrise 1 (L1) outside growth areas	Lowrise 1 (LR1) 825 acres; 20% of multifamily zoned area*	<ul> <li>Highly compatible with single family zones</li> <li>Most appropriate for areas next to single family zones</li> <li>Provides a transition from single family zones to areas with higher densities</li> <li>Usually located outside of growth areas</li> </ul>
(507 acres)		
Lowrise 1 (L1) inside growth areas (242 acres)	Lowrise 2 (LR2) 1,124 acres 27% of multifamily zoned area*	<ul> <li>Accommodates higher density than LR1, within the same height limit</li> <li>Provides a transition between single family and LR1 zones, and zones of greater intensity</li> <li>Most appropriate for areas in or near</li> </ul>
Lowrise 2 (L2) (882 acres)		growth areas, and areas well served by transit
Lowrise 3 (L3) (1,619 acres) Lowrise 4 (L4) (211 acres)	Lowrise 3 (LR3) 1,830 acres 44% of multifamily zoned area*	<ul> <li>Highest density Lowrise zone</li> <li>Allows greater height than LR1 and LR2 zones</li> <li>Provides transition between residential and commercial zones</li> <li>Most appropriate within growth areas and</li> </ul>

<sup>\*</sup>the total multifamily zoned area is 4,131 acres and excludes zones with a Major Institution Overlay

#### 2. Regulate by housing type.

The proposal defines five housing types that are appropriate for Lowrise zones, and tailors the development standards for each type, rather than using the current generic standards that distinguish only between "ground-related" and "non-ground-related" building types. The housing types that are regulated in the proposed legislation are illustrated below.

#### Cottage housing development

These developments accommodate between four and twelve small single-family style houses, arranged around a shared open space. Each house is limited to 950 square feet and 18 feet in height, with allowances for pitched roofs. Cottage housing is most appropriate for the proposed Lowrise 1 zone, although this type of development would be permitted in all Lowrise zones.



#### Rowhouse

Rowhouse development consists of individual units that are attached along a side wall. They occupy space from the ground to the roof—no unit is stacked on top of another. Unlike townhouses, the front of every unit faces the street, each unit provides access directly to the street, and there are no intervening structures between a rowhouse unit and the street.



#### Townhouses

A townhouse development consists of individual units that are attached along at least one common wall to at least one other dwelling unit. They occupy space from the ground to the roof—no unit is stacked on top of another. Townhouse developments often include more than one structure on the lot, with multiple units per structure.



#### Townhouses, Autocourt

An autocourt townhouse is a type of townhouse in which the units are clustered in separate structures, and a majority of the units have private garages located at ground level, accessed by an unenclosed driveway that separates the structures on the lot and creates a common paved autocourt.



#### Apartments

An apartment is a multifamily residential use that is not a rowhouse or a townhouse. Apartments typically have a common main entry with corridors leading to individual units, with units organized on multiple floors stacked on top of each other. Apartment units may either be for rental or sale, but the City does not have regulations concerning ownership.



Single family houses will continue to be permitted in Lowrise zones. As an incentive to retain and preserve single family structures, single family structures built before 1982 that are retained and included in a new development would not be counted in total allowed Floor Area Ratio (FAR).

#### 3. Height Limits.

The proposal would increase the height limit from 25 feet to 30 feet in the proposed LR1 and LR2 zones (the height limit for cottage housing would remain at 18 feet). This would restore the 30 foot height limit in these zones that existed prior to the 1989 multifamily code amendments. Thirty feet is also the height limit allowed in single family zones. While buildings will still be limited to three stories, the additional five feet will help provide greater design flexibility and more livable units with higher ceilings.

The current L3 zone has height limit of 30 feet, and the current L4 zone has a height limit of 37 feet. The proposed height for the combined LR3 zone would be 30 feet, except that in growth areas, apartments would have a 40 foot height limit. This would help encourage apartment development in areas that are intended for more growth by allowing a fourth story for this housing type. The proposed heights are shown below.

Housing type	LR1, LR2, and LR3 zones outside growth areas	LR3 zones inside growth areas
Cottage Housing	18'	18'
Rowhouses and townhouses	30'	30'
Apartments	30'	40'

Height exceptions that encourage pitched roofs would continue to apply. A new height exception that would permit up to four additional feet for a partially buried first floor would be added for apartments in LR2 zones and all housing types in LR3 zones. This would provide more privacy when individual units are on the first floor. It would also make it easier to provide underground parking. Existing allowances for rooftop features like stair and elevator penthouses would remain.

#### 4. Use Floor Area Ratio (FAR) limits and density limits to control building size.

The draft proposal would use FAR limits to regulate the structure size. FAR is the ratio of the gross floor area in a building to the total land area of the lot on which it is built. FAR has been used in downtown and industrial zones for over 40 years. The Council added FAR limits to commercial zones in 2006 and to MR and HR zones in 2009. FAR limits do not determine the shape of a structure, only how many square feet it contains.

FAR limits can be specifically tailored to the zone and building types. The proposed Lowrise zone FAR limits would include a provision to allow additional area for better building design. The base FAR would be set similar to what can be built under current zoning. A 10 percent increase in FAR would be allowed for structures that provide alternatives to autocourts, that provide more open space at ground level than would otherwise be required, and that use "green" building practices. Apartments in LR3 zones would also be permitted greater FAR inside of growth areas. Such tailoring of the standards is not possible under the current regulations. To ensure that some controls are retained on structure size, structure width and depth limits would be applied for townhouses and apartments in all Lowrise zones.

#### 5. Density Limits.

Multifamily zones comprise approximately ten percent (4,131 acres) of the total area of the city (excluding city-owned open space and rights-of-way). Of that area, approximately 91 percent (3,780 acres) is devoted to Lowrise zones. Lowrise zones are intended to accommodate lower-scaled multifamily development ranging from single family homes to townhouses to apartments.

The existing Lowrise density limits were designed to allow about 35,300 additional dwelling units on lots that could be redeveloped. However, this goal has not been met. We estimate that the Lowrise zones can only accommodate around 26,800 new units, due to the combination of our existing density standards and structure development standards (lot coverage, structure width and depth limits). This is about 24% less than what these zones were envisioned and designed to accommodate. We want to fix this.

To control growth in Lowrise zones, the proposal will retain similar density limits. However, density limits would be set on housing type and design and not zones. For example, rowhouses would not have a density limit to enhance the attractiveness of this housing type over conventional auto-oriented townhouses. Since the principal characteristic of rowhouse development is individual units with frontage on the street, the actual density of this housing type is limited by lot width and the practical width of the individual rowhouse unit. Autocourt townhouses would have a lower density than townhouses without an autocourt.

Density limits are also proposed to reward better building designs. In LR2 and LR3 zones, apartments and townhouses that provide underground parking, use the alley for access, and greater open space at ground level, would not have density limits. The proposed density limits, combined with our proposals on FAR, should allow up to around 39,000 units, or about a 10% increase in capacity.

#### 6. Design standards for all structure types.

The draft proposal includes general design standards for all multifamily structures even when the project is not subject to the City's design review program. The intent of adopting basic design standards for multifamily development is to:

- Improve the appearance of multifamily buildings when seen from the street;
- Foster a sense of community by better integrating new development into existing neighborhoods; and
- Promote livability in multifamily areas through a greater sense of openness and access to light and air.

Each of the proposed structure types (cottage housing, rowhouse, townhouse, autooriented townhouse and apartment) would be required to provide design features that are unique to each building type. For example, basic design standards for rowhouses would encourage architectural elements that visually identify each dwelling unit, such as trim, molding, massing, and variation in color and materials.

In fall 2009, then-Mayor Nickels proposed that administrative design review (ADR) be required for any townhouse structure with more than three units. ADR is conducted by staff from the Department of Planning and Development (DPD) rather than the City's design review boards. The Committee has not yet taken a position on whether the design review program should be expanded to include more projects. We look forward to hearing from the public whether the process should be expanded in this way, or whether the design standards proposed in the Code would be adequate to address design concerns.

#### 7. Other multifamily development standards.

#### a. Setbacks

Setbacks from front, side and rear property lines are required for all structures in Lowrise zones. Current front setback standards range between a minimum of 5 feet and a maximum of 20 feet, depending on the zone, and can be adjusted according to averaging of the setbacks of adjacent structures. Side setbacks start at five feet and increase based on wall length and building height. Rear setbacks are established based at either a minimum distance or as a percentage of lot depth depending on lot dimensions, up to a limit of between 15 and 25 feet.

The proposed Lowrise setback standards would generally reduce the requirements to a minimum 5 foot front, side and rear setback for most housing types. No side setbacks would be required for rowhouses, as they are intended to be continuous along the street. Reducing property line setbacks provides greater flexibility to locate the structures on the site. It also provides additional opportunity when automobiles need to be accommodated and to tailor outdoor areas for each housing type. These changes will also simplify the existing complex setback standards that are based on the zone and not by structure types.

#### b. Alley access allowed

The Land Use Code currently regulates access to parking in Lowrise zones, based on the following goals:

- Minimize conflicts between cars and pedestrians on the sidewalk;
- Avoid traffic hazards;
- · Preserve on-street parking spaces; and
- Protect lower density residential zones from the impacts of higher intensity development.

April 22, 2010 Councilmember Sally J. Clark Re: Updates to Seattle Municipal Code Section 23.45, Lowrise zones

Since 1982, the Lowrise zone regulations governing automobile access have emphasized protecting lower density residential zones at the expense of minimizing conflicts between cars and pedestrians and preserving on-street parking. The goal of improving the streetscape and building design by accessing parking from the alley was not considered.

If we have improved alleys, we should figure out ways to use them.

The update would lift most of the code's current prohibitions to using alleys for access in Lowrise zones. Alley access would still be required unless grade changes prevent access from the alley to the lot. Limitations would also be lifted that prevent the use of an alley when a Lowrise zoned site is across an alley from a single family zone. Impacts from additional traffic along an alley with these conditions are balanced when considering the effect of required rear property line setbacks. In cases where additional FAR is sought, paved alley improvement to a nearby street would be required.

The Council removed similar limitations from the Midrise and Highrise multifamily zone regulations last year.

#### c. Replace open space standards for residential amenity standards

The Land Use Code currently requires open space for multifamily uses that is set either as a percentage of a lot size (apartments), by minimum square feet per unit (ground-related housing), or a combination of both. The specific amounts and location of the open space vary by zone and housing type.

The proposed Lowrise code revisions would replace these standards with a new requirement for a residential amenity area that is set at 10 percent of the total building area in residential use. A second method would establish a per unit size for apartments that are not subject to a density limit. Establishing a minimum area based on the percentage of a building's gross floor area was also used in the 2009 Midrise and Highrise update.

In both cases, the area requirements would be flexible enough to allow a developer to tailor the type of amenity space (decks, balconies, rooftop areas and ground level common areas) to the expected market and the type of housing. A minimum area of 250 square feet would be required for all Lowrise developments except Cottage housing, which will continue to have specific standards for common and individual areas. When apartments are allowed to gain FAR, the area requirements change in proportion to the number of units.

#### d. Replace landscape requirements with Green Factor.

Landscaping requirements in Lowrise zones are currently required based on an area that is the perimeter of a lot, multiplied by three. The code also sets forth specific tree planting or retention requirements and requires the planting of street trees in the sidewalk planting strip. Other shrub and ground cover plantings are allowed by a separate Director's rule.

We want to update these existing landscaping requirements with the City's Green Factor landscaping requirement. The Green Factor was first adopted in commercial zones in 2006 and was adopted in the 2009 Midrise and Highrise code update. The Green Factor uses a "menu" approach to landscaping that improves the amount and quality of urban landscaping while allowing increased flexibility for property owners. This includes improvements that favor tree preservation, place vegetation visible to pedestrians, encourage planting of trees that have large canopies and support the use of native or drought-tolerant plants.

#### 8. Eliminate minimum parking requirements for multifamily uses in urban villages.

In 2006, the Council eliminated minimum parking requirements for commercial and residential zones in urban centers and station area overlay zones. These areas generally have excellent transit service and provide services within easy walking distance of most housing units. With the 2009 update to the Midrise and Highrise zones, required parking was also eliminated for multifamily housing in station areas and all urban centers except Northgate, which has a special overlay zone.

The proposed legislation would eliminate the current minimum parking requirement in both multifamily and commercial zones in an urban village for lots located within ¼ mile (1,320 feet) of a transit stop with frequent transit service. Of the 24 urban villages outside of urban centers, 21 would fully or partially meet the proposed standard for frequent transit service. Three urban villages² do not currently meet this standard. In five urban villages³ some multi-family or commercially zoned land is outside the ¼ mile distance from frequent transit service.

Since the 2006 code changes, we have found that developers still provide parking, but at a reduced rate of approximately 0.65. to 0.75 spaces per unit. For the typical townhouse or rowhouse development, it is likely that the current minimum of one space per dwelling unit will be provided. As with large mixed use developments in commercial zones, larger apartment buildings in these urban villages may reduce the number of parking spaces to a similar ratio as found in urban centers and station area overlay districts. This will help lower the cost of housing and allow the flexibility for developers to tailor the parking they provide to the unit type, size, and target market.


<sup>&</sup>lt;sup>1</sup> Frequent transit service means headways of 15 minutes or less for at least 12 hours per day, 6 days per week, and 30 minutes or less for at least 18 hours every day.


<sup>&</sup>lt;sup>2</sup> Lake City, South Park, and Admiral

<sup>&</sup>lt;sup>3</sup> Ballard, West Seattle Junction, Rainier Beach, MLK@ Holly Street, and Bitter Lake

#### 9. Change the method for determining building height.

The Land Use code currently requires building height to be measured using a site survey set at two foot intervals. This requirement applies to most areas of Seattle. It is a complex method that requires a different set of measurements than the Building Code, which uses an averaging method based on the elevation at the side of a building. To make this process simpler and more consistent, we are recommending replacing the current method, which shown in the drawing on the left, with the method used in shoreline areas, as shown on the right. The existing method requires that a building follow the slope. The existing method also has additional provisions in steep slopes. The height limit is essentially a sloping plane parallel to the grade. The shoreline method is the most similar to the Building Code.





The shoreline method has several advantages. The shoreline method only requires pinpoint grades where the structure sits on the lot, which lowers survey costs. It mirrors the Building Code method, thereby reducing the time needed to prepare building plans. The shoreline method is required by the State for structures within the shoreline because it helps protect views; this should benefit up-hill neighboring properties City-wide. There are few downsides to using the shoreline method City-wide. It may reduce the number of buildings that "step down" a sloping lot, as is required under the existing height measurement technique. In addition, the shoreline method might contribute to view blockage across a slope. However, we believe that there are more benefits to switching to this way of measuring heights with minimal impacts on property owners.

#### 10. Revise standards for solid waste and recycling.


The proposed changes to the Lowrise zoning include an update to the standards for storage areas for solid waste containers which would apply citywide. Because the City has expanded service to pick up garbage, recycling, and "clean green" waste separately, more space is needed to store the containers. The proposed regulations would increase the area devoted to containers and reduce the minimum number of dwelling units required to provide these storage space for them, both on the site and when they are set out to be picked up. This should improve how new developments incorporate these features, and lessen impacts on the right-of-way and neighboring properties.

#### 11. Unit Lot subdivisions.

The Committee is still considering how to approach the issue of unit lot subdivisions. The unit lot subdivision process, which was adopted in 1994, is a way to plat new lots in multifamily zones for townhouses and cottage housing developments. The process can

also be used for cluster developments in Single Family, Residential Small Lot and LR zones, and for single family dwelling units in LR zones.

As shown in this graphic, a unit lot subdivision allows the original lot (called the "parent lot") to be subdivided if as a whole the development meets Code standards, even though the development on the unit lots that are created does not. This allows parking to be on an adjacent unit lot. However, open space is required at each unit lot. Access easements and joint use and maintenance agreements provide for common garages or parking areas, common open space, and other similar features.



Unit lot subdivisions are popular with developers, as they allow the creation of lots that can be sold individually on a "fee simple" basis, instead of requiring formation of a condominium. Fee simple ownership is generally preferred by home buyers, as it makes it easier for a developer to finance a project, and reduces developer insurance and liability costs. However, the use of unit lot subdivisions has raised four specific concerns:

- The lack of consumer protection mechanisms that ensure long-term financial agreements for structure maintenance similar to those required under condominium law. For example, there are no requirements for a maintenance fund to replace a roof that covers three attached units.
- In the future, it may be very difficult to rebuild a structure on a unit lot, due to interconnected structural systems;
- Creating substandard, or "nonconforming" developments that may limit individual owners ability to make future structure improvements; and
- When unit lots are created a public notice is required. However, the notice
  happens after the units are under construction. This is usually the first time that
  neighbors have to comment, and they are often frustrated because they are not
  able to comment on the building itself.

We are currently reviewing how other jurisdictions balance these issues. We expect that COBE will receive specific briefings and consider specific amendments in June or July, to be included with this legislation.

#### 12. General code cleanup.

When tackling this update, we found that our existing Lowrise code sections had a variety of problems ranging from grammatical errors to incorrect citations. We normally fix such problems in our yearly 'omnibus' legislation. We decided to tackle some of these "code fixes" here. The following issue is one such minor correction.

In the current Lowrise code update we intend to update the existing rezone criteria to emphasize the opportunity for new growth that the City's comprehensive plan anticipates and that the city's urban villages and urban centers are designed to accommodate. The urban village and urban center concepts were first introduced with the 1994 Comprehensive Plan. At that time, criteria governing L3 and L4 zones were adopted that made it easier to consider what future development would look like in these zones instead of placing emphasis on "compatible density and scale" - that being existing development. This made rezoning to these zones in urban villages and urban centers less restrictive.

Several years after this, when neighborhood plans were being developed, six<sup>4</sup> of the 37 neighborhoods developing these plans added goals that had the effect of eliminating new L3 and L4 zones in their respective planning areas. In 2004, a significant update to the Comprehensive Plan occurred that removed the "compatible density and scale" clause but left the references to the six urban villages. Unfortunately, we did not go back and correct the code section listing the six urban villages. We intend to fix this error in this bill.

#### Next steps

As of April 22, 2010 the draft legislation is available for public review and comment. A copy of the ordinance and the related environmental (SEPA) determination will be available on my website and DPD's website:

http://www.seattle.gov/DPD/Planning/Multifamily Code Update/Overview/.

We will also be holding a public hearing to hear your comments. This public hearing is scheduled for May 25, 2010 at 5:30 pm in City Council chambers, Seattle City Hall, 600 – 4<sup>th</sup> Avenue, 2<sup>nd</sup> Floor, Seattle, WA 98102.

Notice of the meeting will continue to be provided on my website page devoted the Lowrise code update: <a href="http://seattle.gov/council/clark/2009townhomes.htm">http://seattle.gov/council/clark/2009townhomes.htm</a>. For more information you can also contact Dan Nolte, my legislative aide. He can be reached by email at <a href="Dan.Nolte@seattle.gov">Dan.Nolte@seattle.gov</a> or by telephone at 206-684-5327.

After the public hearing, we hope to introduce the formal legislation in June. We expect that this legislation will reflect both public comment and ongoing COBE review.

We look forward to your comments and participation in this important issue.

Wallingford, Eastlake, Upper Queen Anne, Morgan Junction, Lake City, Bitter Lake and Admiral.

1	SEATTLE HEARING EXAMINER		
2			
3	In the Matter of the Appeal by	Hearing Examiner File	
4	GERARD BASHEIN	MUP-17-036(SD)	
5	From a decision by the Director of the Department of Construction & Inspections	Department Reference: 3028370	
6		APPELLANT'S STATEMENT OF	
7		SUPPLEMENTAL AUTHORITIES	
8			
9	Dr. Bashein offers the following supplemental authorities:		
10	Proemble to definitions:		
11	Preamble to definitions:		
12	SMC 23.84A.001 - Applicability and interpretation.		
13	A. The definitions in this chapter provide the meanings of terms used in		
14	this title, except as otherwise provided by this title or as the context may otherwise clearly require.		
15	Decisions cited in oral argument:		
16	State, Dept. of Ecology v. Campbell & Gwi	inn, L.L.C., 146 Wn.2d 1, 10, 43 P.3d 4,	
17	State, Dept. of Ecology v. Campbell & Gwinn, L.L.C., 146 Wn.2d 1, 10, 43 P.3d 4, (2002), applying the plain meaning rule, citing with approval to:		
18	Young v. Estate of Snell, 134 Wash.2d 267, 279, 948 P.2d 1291 (1997)		
19	(the meaning of a statute must be derived from the wording of the statute itself where the statutory language is plain and unambiguous)		
20			
21	Faben Point Neighbors v. City of Mercer Island, 102 Wn.App. 775, 11 P.3d 322, (Div. 2000):		
22	Because municipal ordinances are	the equivalent of a statute, they are	
23	evaluated under the same rules of o	construction	
24	***	of a management in the management in a state of the state	
25	Nor does the City's six-year history code and interim critical areas regu	of erroneously interpreting its zoning lations change our analysis.	
23	Misunderstanding or misinterpretati	on of a statute or ordinance by those	

APPELLANT'S STATEMENT OF SUPPLEMENTAL AUTHORITIES - 1

ARAMBURU & EUSTIS, LLP 720 Third Avenue, Suite 2000 Seattle, Washington 98104 Tel. (206) 625-9515 Fax (206) 682-1376

24

25

In the Matter of the Appeals of

Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: NATHAN TORGELSON

SDCI

700 5<sup>TH</sup> AVE, FLOOR 19 SEATTLE, WA 98104

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, IT IS ORDERED that you make available to <u>David Moehring</u> the following documents: "<u>digital copies of all interpretations previously issued (since 2006)</u> by the <u>Department regarding departures</u>, exceptions or variances from the Short Plat <u>Subdivision requirements of Chapters 23.09, 23.24, 23.53, and 23.84,"</u> no later than 7 days from the date of service of this subpoena.

Entered this 15th day of July, 2019.

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

In the Matter of the Appeals of

Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: HIRO IKEDA

SDCI

 $700\,5^{TH}$  AVE, FLOOR 19 SEATTLE, WA 98104

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, IT IS ORDERED that you make available to <u>David Moehring</u> the following documents: "copies of previously-issued recommendations by the <u>Department</u> (since 2006) regarding engineering conditions applied to Short Plat Subdivisions," no later than 7 days from the date of service of this subpoena.

Entered this 15th day of July, 2019.

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

In the Matter of the Appeals of Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: HAROLD SCOGGINS

SEATTLE FIRE DEPARTMENT 220 3<sup>RD</sup> AVE S, FLOOR 2 SEATTLE, WA 98104

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, you are REQUIRED TO APPEAR AND GIVE EVIDENCE in the above-entitled case on AUGUST 12, 13, 14, 15, AND 16, 2019, AT 9:00 AM, at the Office of Hearing Examiner, Seattle Municipal Tower, 700 5<sup>th</sup> Avenue, Suite 4000, and to remain in attendance until excused, and to appear at a deposition scheduled for a date and time mutually convenient to the parties.

Additionally, in the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, IT IS ORDERED that you make available to <u>David Moehring</u> the following documents: "<u>digital copy of all documents that the Fire Department had in their possession at the time the review was completed in late 2018, or any supporting documents that the Department may have shared subsequent to the <u>Director rendering a decision on the Short Plat,"</u> no later than 7 days from the date of service of this subpoena.</u>

Entered this 15th day of July, 2019 Bubara Dyles Ehrlichnan

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

In the Matter of the Appeals of

Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: TONY SHOFFNER

21529 4<sup>TH</sup> AVE W #C31 BOTHELL, WA 98021

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, you are REQUIRED TO APPEAR AND GIVE EVIDENCE in the above-entitled case on AUGUST 12, 13, 14, 15, AND 16, 2019, AT 9:00 AM, at the Office of Hearing Examiner, Seattle Municipal Tower, 700 5<sup>th</sup> Avenue, Suite 4000, and to remain in attendance until excused, and to appear at a deposition scheduled for a date and time mutually convenient to the parties.

Additionally, in the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, IT IS ORDERED that you make available to <u>David Moehring</u> the following documents: "a digital copy of all photographs and field notes used for the creation of the arborist report, as well as a copy of the signed agreement of services between Mr. Shoffner and the entity engaging his services," no later than 7 days from the date of service of this subpoena.

Entered this 15th day of July, 2019.

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

In the Matter of the Appeals of

Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: KATIE LUEDEMAN
JW ARCHITECTS LTD
1257 S KING ST
SEATTLE, WA 98144

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, you are REQUIRED TO APPEAR AND GIVE EVIDENCE in the above-entitled case on AUGUST 12, 13, 14, 15, AND 16, 2019, AT 9:00 AM, at the Office of Hearing Examiner, Seattle Municipal Tower, 700 5<sup>th</sup> Avenue, Suite 4000, and to remain in attendance until excused, and to appear at a deposition scheduled for a date and time mutually convenient to the parties.

Additionally, in the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, IT IS ORDERED that you make available to <u>David Moehring</u> the following documents: "digital copy of all alternative layouts considered for the maximum retention of existing trees and compliance with vehicular and pedestrian access requirements," no later than 7 days from the date of service of this subpoena.

Entered this 15th day of July, 2019.

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

In the Matter of the Appeals of

Hearing Examiner Files:

MUP-19-019 (P), MUP-19-020 (P), & MUP-19-021 (P)

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

Department References:

3032834-LU 3032833-LU 3032857-LU

from decisions issued by the Director, Seattle Department of Construction and Inspections

SUBPOENA

TO: H. MICHAEL XUE

PANGEO

3213 EASTLAKE AVE E, STE B

SEATTLE, WA 98102

In the name of the State of Washington, City of Seattle, pursuant to Seattle Municipal Code Section 3.02.120, you are REQUIRED TO APPEAR AND GIVE EVIDENCE in the above-entitled case on August 12, 13, 14, 15, and 16, 2019, at 9:00 AM, at the Office of Hearing Examiner, Seattle Municipal Tower, 700 5th Avenue, Suite 4000, and to remain in attendance until excused, and to appear at a deposition scheduled for a date and time mutually convenient to the parties.

Entered this 15th day of July, 2019.

Barbara Dykes Ehrlichman, Deputy Hearing Examiner

Bustone Dyles Ehelechnan

Office of Hearing Examiner

P.O. Box 94729

Seattle, Washington 98124-4729

Phone: (206) 684-0521

Fax: (206) 684-0536

In the Matter of the Appeals of

NEIGHBORS TO MIRRA HOMES DEVELOPMENTS

from decisions issued by the Director, Seattle Department of Construction and Inspections Hearing Examiner Files:

MUP 19-019 (P), MUP 19-020 (P), & MUP 19-021 (P)

Department References: 3032834-LU, 3032833-LU, & 3032857-LU

DECISION AND ORDER ON REVISED REQUEST FOR SUBPOENAS

Appellant Neighbors to Mirra Homes Developments ("Appellant") filed "Appellant's Revised Request for Subpoenas" on June 28, 2019. The Seattle Department of Construction and Inspections ("Department") responded to Appellant's request, objecting to four of Appellant's six requested subpoenas. As the Appellant's subpoenas for documents have not been challenged, they shall be issued by the Deputy Hearing Examiner ("Examiner").

Hearing Examiner Rule of Procedure ("HER") 3.12(b) states:

A motion for a subpoena for a person shall include the person's name and address, show the relevance of that person's testimony, and demonstrate the reasonableness of the scope of the subpoena sought.

To determine the relevance of the person's testimony and the reasonableness of the scope of the subpoena, the Examiner looks to the appeal statement itself and the issues raised. According to the Appeal Statement Supplement, the appeals challenge compliance of the project criteria for short subdivision approval contained with SMC 23.24.040. Appeal Statement Supplement at 1 (May 13, 2019).

The subpoena for Katie Luedeman, Julian Weber, or other architect in charge from JW Architects Ltd., and Tony Shoffner, Arborist, were not challenged by the Department; therefore, those subpoenas shall be issued by the Examiner.

The subpoena requests for Harold Scroggins, Fire Chief (or responsible Emergency Access and Suppression Reviewer(s)), Hiro Ikeda, P.E. of the Department, and H. Michael Xue, P.E. (or if qualified, John Manke) of Pan Geo are all challenged on the following basis:

None of the above referenced people . . .can opine on the application of these [short subdivision] criteria. The responsibility for that application falls to SDCI planner, David Landry AICP, who will be presenting on

behalf of the department at the hearing. The appellants will have opportunity to question any relevant facts in the record and how they bear on the Department's analysis at that time. All other relevant correspondence from these internal reviewers is either available in the record or subject to pending public records requests by the applicant. If those requests are not fulfilled in time for the hearing, the Department has no objection to a short postponement of the hearing date.

SDCI Response to Revised Request for Subpoena, and Motion in Limine at 1-2 (July 3, 2019).

In addition, the Department objected to the subpoena request on other grounds for Nathan Torgelson, Director of the Department.

Each subpoena request will be considered below:

Harold Scroggins, Fire Chief (or responsible Emergency Access and Suppression Reviewer(s)

The Applicant has challenged the short plat's conformance with SMC 23.24.040 and 23. 53.005 and 23.53.025 concerning access to lots by pedestrians, vehicles, utilities, and fire protection. Because the Fire Chief (or his designee) maintains discretion over these matters pursuant to SMC 23. 53.025, the Examiner concludes that the request is reasonable and relevant to the matters raised on the appeal. Therefore, the request for a subpoena of the testimony of the Fire Chief or his designated reviewer shall be GRANTED, and the subpoena shall be issued.

#### Hiro Ikeda, P.E., Structural Plans Engineer of the Department

The Appellant requests the subpoena on the following basis:

Hiro Ikeda . . . shall be asked about the January 2019 reviews that led to the conditional approval of the Short Plat and the frequency of such requests without a completed SEPA approval. This is a reasonable request because the appeal questions the decision to approve the Short Plat based on incomplete assumptions of the SEPA review.

Appellant's Revised Request for Subpoenas at 4. The short plat review under SMC 23.24.040 was carried out by the Land Use Planner who signed the decision, David Landry. In this instance, Appellant has not demonstrated the relevance of Mr. Ikeda's testimony to this matter. The Appellant may more effectively question Mr. Landry regarding the sequence of approval and SEPA review. Therefore, the request for a subpoena of the testimony of Mr. Ikeda shall be DENIED.

#### H. Michael Xue, P.E. (or if qualified, John Manke) of Pan Geo

The Appellant appealed compliance of the short plat with SMC 23.24.040.A.5 regarding conformance to the applicable provisions of SMC 25.09.240 (environmentally critical areas review). The Appellant requests the subpoena on the following basis:

Mr. Manke or Mr. Xue shall be asked to explain the geotechnical reports submitted for this functionally-related development of three lots. This is a reasonable request because of the Short Plat conditional approval that limits the development of the uphill portion of the subdivisions on the stabilization work of the downhill portion of the proposed subdivisions.

Although the Examiner is not familiar with the facts of this case, if a geotechnical report was required under SMC Chapter 25.09, the Appellant should be afforded the opportunity to examine the author of the report at hearing, since it has appealed compliance with SMC 25.09.240. Therefore, the request for a subpoena of the testimony of the Mr. Xue or at his designation, Mr. Manke, shall be GRANTED, and the subpoena shall be issued.

#### Mr. Nathan Torgelson, Director of the Department

Appellant requests a subpoena to issue to Director Torgelson on the following grounds:

Director Torgelson will be asked to clarify his July 2018 written response to Seattle resident Henry McGuire about the Department policy of issuing Short Plats for developments seeking to avoid conflicts with SMC 23. 84A.032 (R). This is a reasonable request because the first criteria for the Director's short plat decision is conformance to the applicable Land Use Code provision (i.e., Title 23).

The Department objects to the subpoena on the following grounds:

Particularly inappropriate is the appellant's request to question SDCI Director Torgelson regarding a letter sent to Harry McGuire in July 2018. That informational letter does not constitute a "final land use decision" and is not the subject of this appeal. To the degree that the letter touched upon application of the Seattle Land Use code, the appellant would have needed to file a code interpretation under SMC Section 23. 88.020 to challenge that reading of the code. The Appellants have not filed such a request and the line of inquiry is wholly disconnected from the application of the Short Subdivision Criteria, which is the subject to this appeal.

A copy of the letter referred to in the request was submitted as an attachment to another pleading submitted in this case. See Appellant's "Reply in Opposition to Applicants' and

Owner's Motions to Dismiss Land Use Appeal and for Summary Judgment," "Harry McGuire Attachments" (July 1, 2019). Having read the attachment, the Examiner is not convinced the testimony of Director Torgelson is relevant to this proceeding, albeit not for the reasons stated by the Department. A matter of Department policy or application of the Land Use Code to a particular development is best explained by the land use planner assigned to the project. The Examiner notes that the correspondence referred to is concerning a different application, which may or may not have the same factual setting. Any testimony from Director Torgelson would be duplicative and unnecessary, and the Director would not likely be as familiar with the facts of the case, since he does not personally shepherd projects through the review process. Therefore, the request for a subpoena of the testimony of Director Torgelson shall be DENIED.

#### ORDER

The Examiner ORDERS issuance of the following subpoenas for testimony and subpoenas for documents:

- Kate Luedeman, or designee at JW Architects Ltd., 1257 S. King Street, Seattle, WA 98144, (206) 953-1305
  - Documents: digital copy of all alternative layouts considered for the maximum retention of existing trees and compliance with vehicular and pedestrian access requirements.
- Tony Shoffner, Arborist, 21529 4th Ave. W #C31, Bothell, WA, 98021, (206) 755-2871
  - Documents: a digital copy of all photographs and field notes used for the creation of the arborist report, as well as a copy of the signed agreement of services between Mr. Shoffner and the entity engaging his services.
- Harold Scroggins, Fire Chief, or designee, Seattle Fire Department, 220 3<sup>rd</sup> Avenue South, 2<sup>nd</sup> floor, Seattle, WA 98104, (206) 386-1333
  - O Documents: digital copy of all documents that the Fire Department had in their possession at the time the review was completed in late 2018, or any supporting documents that the Department may have shared subsequent to the Director rendering a decision on the Short Plat.
- H. Michael Xue, P.E., or his designee, John Manke, PanGEO, 3213 Eastlake Avenue East, Suite B, Seattle, WA 98102
  - o Documents: No documents requested.

The Examiner ORDERS issuance of the following subpoenas for documents only:

 Nathan Torgelson, Director of the Seattle Department of Construction and Inspections, Seattle Municipal Tower, 700 Fifth Avenue, 19th Floor, Seattle, WA 98104, (206) 233-7883

#### MUP 19-019 (P), MUP 19-020 (P), & MUP-19-021 (P) ORDER ON APPELLANT'S REVISED REQUEST FOR SUBPOENAS Page 5

- O Documents: digital copies of all interpretations previously issued (since 2006) by the Department regarding departures, exceptions or variances from the Short Plat Subdivision requirements of Chapters 23.09, 23.24, 23.53, and 23.84.
- Hiro Ikeda, P.E., Structural Plans Engineer, Seattle Department of Construction and Inspections, Seattle Municipal Tower, 700 Fifth Avenue, 19<sup>th</sup> Floor, Seattle, WA 98104, (206) 727-8513
  - Documents: copies of previously-issued recommendations by the Department (since 2006) regarding engineering conditions applied to Short Plat Subdivisions.

Entered this 15 day of July, 2019

Barbara Dykes Ehrlichman
Deputy Hearing Examiner
Office of Hearing Examiner

#### CERTIFICATE OF SERVICE

I certify under penalty of perjury under the laws of the State of Washington that on this date I sent true and correct copies of the attached <u>Amended Order Consolidating Hearing & Decision and Order on Revised Request for Subpoenas</u> to each person listed below, or on the attached mailing list, in the matters of <u>Neighbors to Mirra Homes Developments</u>, Hearing Examiner Files: <u>MUP-19-019 (P)</u>, <u>MUP-19-020 (P)</u>, <u>& MUP-19-021 (P)</u> in the manner indicated.

Party	Method of Service
Appellant Representative David Moehring dmoehring@consultant.com	☐ U.S. First Class Mail, postage prepaid ☐ Inter-office Mail ☐ E-mail ☐ Fax ☐ Hand Delivery ☐ Legal Messenger
Applicant Legal Counsel Brandon Gribben bgribben@helsell.com Sam Jacobs sjacobs@helsell.com	☐ U.S. First Class Mail, postage prepaid ☐ Inter-office Mail ☐ E-mail ☐ Fax ☐ Hand Delivery ☐ Legal Messenger
Department David Landry SDCI david.landry@seattle.gov	☐ U.S. First Class Mail, postage prepaid ☐ Inter-office Mail ☐ E-mail ☐ Fax ☐ Hand Delivery ☐ Legal Messenger

Dated: July 15, 2019

Alayna Johnson

Legal Assistant